

## AMENDMENTS TO THE CLAIMS:

Please amend claims 1 and 23 as shown in the Listing of Claims.

### Listing of Claims

---

- B1
1. **(currently amended)** An adjustable control pedal comprising, in combination:  
a pivotable upper arm having first and second guide slots and a drive slot formed therein;  
wherein the upper arm pivots about a pivot axis which is spaced apart from the drive slot;  
wherein the first and second guide slots and the drive slot are each straight;  
a lower arm having a lower end carrying a pedal and operatively connected to the upper arm for selected movement relative to the upper arm;  
a first pin secured to the lower arm and laterally extending into the first guide slot;  
a second pin secured to the lower arm and laterally extending into the second guide slot;  
and  
a drive assembly operatively connected to the lower arm to selectively move the lower arm relative to the upper arm and including:  
a screw carried by the upper arm;  
a nut secured to the lower arm, laterally extending through the drive slot from the lower arm to the screw, threadably engaging the screw, and adapted to axially move along the screw upon rotation of the screw; and  
a motor operatively connected to the screw to selectively rotate the screw.
  2. **(original)** The adjustable control pedal according to claim 1, wherein the first and second guide slots are formed on opposite sides of the drive slot.
  3. **(original)** The adjustable control pedal according to claim 1, wherein the first and second guide slots are nonparallel.
  4. **(original)** The adjustable control pedal according to claim 3, wherein the first and second guide slots are inclined.

B1  
cont

5. **(previously presented)** The adjustable control pedal according to claim 1, wherein weight of the lower arm is supported by the upper arm through the first and second pins.

6. **(cancelled)**

7. **(cancelled)**

8. **(cancelled)**

9. **(cancelled)**

10. **(cancelled)**

11. **(cancelled)**

12. **(cancelled)**

13. **(cancelled)**

14. **(cancelled)**

15. **(cancelled)**

16. **(cancelled)**

17. **(cancelled)**

18. **(cancelled)**

19. **(cancelled)**

B1  
contd

20. (cancelled)

21. (cancelled)

22. **(previously presented)** The adjustable control pedal according to claim 1, wherein the upper arm pivots about a pivot axis which is at a fixed position relative to the upper arm.

23. **(currently amended)** The adjustable control pedal according to claim 1, ~~wherein the upper arm pivots about a pivot axis which is spaced apart from the drive slot~~ further comprising a third pin secured to the upper arm for connection to a device to be controlled by operation of the adjustable control pedal.

24. **(previously presented)** The adjustable control pedal according to claim 1, wherein the drive slot is inclined.

25. **(previously presented)** The adjustable control pedal according to claim 1, wherein the first and second guide slots extend entirely through the upper arm and the first and second pins extend entirely through the first and second guide slots respectively.

26. **(previously presented)** An adjustable control pedal comprising, in combination:  
a pivotable upper arm having first and second guide slots and a drive slot formed therein;  
wherein the first and second guide slots are each straight;  
wherein the upper arm pivots about a pivot axis which is at a fixed position relative to the upper arm;

a lower arm having a lower end carrying a pedal and operatively connected to the upper arm for selected movement relative to the upper arm;

a first pin secured to the lower arm and laterally extending into the first guide slot;

a second pin secured to the lower arm and laterally extending into the second guide slot;

and

a drive assembly operatively connected to the lower arm to selectively move the lower arm relative to the upper arm and including:

B1  
contd

a screw carried by the upper arm;

a nut secured to the lower arm, laterally extending through the drive slot from the lower arm to the screw, threadably engaging the screw, and adapted to axially move along the screw upon rotation of the screw; and

a motor operatively connected to the screw to selectively rotate the screw.

27. **(previously presented)** The adjustable control pedal according to claim 26, wherein the first and second guide slots are formed on opposite sides of the drive slot.

28. **(previously presented)** The adjustable control pedal according to claim 26, wherein the first and second guide slots are nonparallel.

29. **(previously presented)** The adjustable control pedal according to claim 28, wherein the first and second guide slots are inclined.

30. **(previously presented)** The adjustable control pedal according to claim 26, wherein the pivot axis is spaced apart from the drive slot.

31. **(previously presented)** The adjustable control pedal according to claim 26, wherein the drive slot is inclined.

32. **(previously presented)** The adjustable control pedal according to claim 26, wherein the first and second guide slots extend entirely through the upper arm and the first and second pins extend entirely through the first and second guide slots respectively.

33. **(previously presented)** An adjustable control pedal comprising, in combination:  
a pivotable upper arm having first and second guide slots and a drive slot formed therein;  
wherein the first and second guide slots and the drive slot are each straight;  
wherein the upper arm pivots about a pivot axis which is at a fixed position relative to the upper arm and space apart from the drive slot;